

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/705,315	11/10/2003	Sachin Doshi	884.A59US1	4452
21186 7590 03/22/2007 SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A. P.O. BOX 2938			EXAMINER	
			PARK, ILWOO	
MINNEAPOLIS, MN 55402		ART UNIT	PAPER NUMBER	
		2182	· · · · · · · · · · · · · · · · · · ·	
			MAIL DATE	DELIVERY MODE
			03/22/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/705 015	DOOL!! ET AL			
Notice of Allowability	10/705,315 Examiner	DOSHI ET AL.			
-					
	Ilwoo Park	2182			
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject	opplication. If not included on will be mailed in due course. THIS			
1. A This communication is responsive to <u>amendment filed on 1</u>	<u>1/18/07</u> .				
2. The allowed claim(s) is/are <u>1-3,5-16,18-20 and 22-32</u> .					
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority uner a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>					
2. Certified copies of the priority documents have been received in Application No.					
Copies of the certified copies of the priority documents have been received in this national stage application from the					
International Bureau (PCT Rule 17.2(a)).					
* Certified copies not received:					
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.					
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.					
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.					
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached					
1)  hereto or 2) to Paper No./Mail Date					
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date					
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).					
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
Attachment(s)					
1. Notice of References Cited (PTO-892)	5. Notice of Informal	• •			
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date			
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amend	Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment			
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Staten	nent of Reasons for Allowance			
5. Diological Material	9.				

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark V. Muller on 3/8/2007.

The application has been amended as follows:

Claim 19. An apparatus, comprising:

a controlling module <u>hardware</u> to control a data flow associated with at least one of a selected number of ports having an actual usage value above a determined average shared resource usage value associated with the selected number of ports sharing a resource, wherein the selected number of ports each use an amount of the resource greater than a guaranteed minimum amount of the resource, and wherein determining the determined average shared resource usage value comprises selecting the selected number of ports by locating at least one port included in a plurality of ports using the amount of the resource greater than the guaranteed minimum amount, determining a cumulative shared usage value based on the selected number of ports, and determining the determined average shared resource usage value by dividing the cumulative shared usage value by the selected number of ports.

Claim 23. The apparatus of claim 19, wherein the controlling module <u>hardware</u> comprises a network processor.

Application/Control Number: 10/705,315

Art Unit: 2182

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ilwoo Park whose telephone number is (571) 272-4155. The examiner can normally be reached on Monday through Friday from 9:00 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Huynh can be reached on (571) 272-4147. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 3

ILWOO PARK PRIMARY EXAMINER

Ilwoo Park

March 8, 2007